


Pozice	Množství	Objednací číslo	Popis	PG
1	2	141180110	pojistny krouzek	12
2	2	344101930	Bandsaegenbandage	17
3	1	315419740	Bandsaegenrolle oben	35
4	4	143114460	kulickove lozisko	19
5	1	343411350	spinac	27
6	1	343411470	spinac cpl.	29
7	4	141113290	sestihranny sroub	11
8	4	141150130	podlozka	11
9	1	343433180	posuvna tyč	15
10	1	343443710	kryt pro uhlikove kartace	13
11	4	141155240	pruzna podlozka	12
12	2	316095120	tlacitko cpl.	17
13	2	341166550	Schliesssystem	22
14	1	316095600	Saegebandschutz vollst.	15
15	1	316095610	Hoehenverstellung vollst.	17
16	4	141130100	sestihranna matice	11
17	1	343443820	odsavaci adapter	16
18	1	341519690	cep loziska	20
19	1	316095620	upinaci pripravek cpl.	19
20	4	141124160	sroub,M6 x 20	12
21	6	141124560	LINSENSCHRAUBE M.KREUZSCHLITZ	11
22	1	339148500	bezpecnostni packa	14
23	1	316095630	Spannrolle vollst.	24
24	1	143111440	radialni kulickove lozisko 12x28x8	27
25	4	141113680	sroub s valcovou hlavou	12
26	4	141190480	SCHEIBE	11
27	4	141150270	pruzna podlozka	11
28	1	344081750	Buerstenleiste vollst.	14
29	4	141113710	sroub s valcovou hlavou	12
30	1	141130200	sestihranna matice	13
31	1	141180110	pojistny krouzek	12
33	1	316095640	Dreirollenfuehrung unten vollst.	27
34	1	316095650	spodni valecky pro pasovou pilu cpl.	34
35	1	7233190017	KEILRILLENRIEMEN 4 PJ 610	24
40	1	316095660	Saegebandschutz vollst.	29
41	1	316095670	Dreirollenfuehrung oben vollst.	27
42	6	143111090	radialni kulickove lozisko 10x30x9	24
44	1	316095680	Fuehrungsprofil vollst.	33
47	4	343443770	kridlaty sroub	16
49	1	316095690	Tischeinlage vollst.	11
50	1	316095700	Bandsaegentisch vollst.	63
51	1	316095710	Tischverstellung vollst.	50
53	1	316095720	rovnobezny doraz kompl.	40
60	1	343443830	Spänekasten	26
61	1	316095730	Tuere vollst.	41
62	1	343443720	sroub hvězdicove rukojeti	19
63	1	316095740	Einstellvorrichtung vollst.	23
64	1	316095750	Schnellentspannung	26
65	1	341166470	ovladaci packa	19
66	1	316095760	uhlovy doraz kompl.	29
67	1	316095770	profil cpl.	21
68	1	317004790	motor kompl.,230V	59

Pozice	Množství	Objednací číslo	Popis	PG
69	1	316095780	klinova remenice cpl.	29
72	1	316095790	Rollenfuehrung vollst.	30
73	1	316095800	Fahrwerk vollst.	34
74	1	316095110	rozsireni stolu, prave kompl.	31
75	2	316095130	rukojet cpl.	25
76	1	316095810	LED svitidlo cpl.	20
77	1	344530940	kabel kompl.	25
79	1	316095820	uchyceni nastroje compl.	12
80	1	316095830	Maschinenständer vollst.	52
81	1	316095840	sada sroubu kompl.	27
82	1	338067100	vykonovy stitek	11
83	1	343255130	kondensator	23
84	1	343445370	lopatka ventilatotu	18
85	1	339204860	Abdeckung	19
1001	1	338506180	plan zapojeni	



M1: induction motor 220-240V / 50-60Hz

S1: KJD12

C1: 22 μ F