



| Posicion | Cantidad | Referencia | Descripcion                | PG |
|----------|----------|------------|----------------------------|----|
| 1        | 2        | 141118730  | Torn.alom.para chapa       | 11 |
| 2        | 1        | 343399930  | Proteccion                 | 17 |
| 3        | 1        | 343395350  | Mango                      | 24 |
| 4        | 1        | 343395360  | Estribo de conexion        | 19 |
| 5        | 2        | 342001180  | Resorte de presion         | 11 |
| 6        | 1        | 316048490  | Mango                      | 30 |
| 7        | 1        | 341704290  | Fitting screw              | 11 |
| 8        | 1        | 141151940  | Arandela                   | 11 |
| 9        | 9        | 141113180  | Torn.alom.para chapa       | 11 |
| 10       | 1        | 343399640  | Carcasa 2p,c.revestimiento | 32 |
| 11       | 1        | 341055110  | Tapiz de presion           | 11 |
| 12       | 2        | 344070660  | Fieltro                    | 11 |
| 13       | 1        | 343399630  | Horquilla de conexion      | 11 |
| 14       | 1        | 342002440  | Resorte de presion         | 11 |
| 15       | 1        | 317004300  | Motor,18V                  | 50 |
| 16       | 1        | 316048500  | Puente de cojinete cpl.    | 33 |
| 17       | 2        | 141119850  | Torn.alom.mikrov           | 11 |
| 18       | 2        | 341060030  | Casquillo distanciador     | 12 |
| 20       | 3        | 141152070  | Arandela                   | 11 |
| 21       | 1        | 344099060  | Goma espuma                | 11 |
| 22       | 1        | 316047800  | Pinion cpl.                | 26 |
| 24       | 1        | 341013140  | Casquillo distanciador     | 12 |
| 25       | 1        | 339134890  | Tapa                       | 23 |
| 26       | 2        | 141119780  | Tornillo hexagonal taptite | 12 |
| 27       | 1        | 343391510  | Deposito                   | 20 |
| 29       | 1        | 316027170  | Proteccion                 | 23 |
| 30       | 2        | 141121710  | Tornillo                   | 11 |
| 31       | 1        | 344162990  | Cuchilla superior          | 25 |
| 32       | 1        | 344163790  | Untermesser vollst.        | 25 |
| 33       | 1        | 339135020  | Liston de presion          | 19 |
| 34       | 5        | 141120210  | Tornillo hexagonal taptite | 11 |
| 35       | 1        | 316054640  | Cuchilla cpl.              | 41 |
| 36       | 1        | 338061050  | Placa de caracteristicas   | 11 |
| 37       | 1        | 343084030  | Unidad electronica,18V     | 43 |
| 38       | 1        | 343394790  | Corredera de conexion      | 11 |
| 39       | 1        | 342022460  | Resorte c. patas           | 11 |
| 40       | 1        | 343394770  | Anilla prensora            | 11 |
| 41       | 1        | 343399620  | Pulsador del interruptor   | 13 |
| 42       | 4        | 141152400  | Arandela                   | 11 |
| 44       | 1        | 316055480  | Rueda dentada cpl.         | 27 |
| 47       | 1        | 339132380  | Biela                      | 18 |
| 48       | 1        | 339132370  | Biela                      | 18 |
| 49       | 1        | 141130650  | Tuerca hexagonal           | 12 |
| 95       | 2        | 343439680  | Tapa de cierre             | 11 |
| 880      | 0        | 136011850  | Grasa especial metabo      | 38 |
| 1001     | 1        | 338505410  | Esquema electrico          |    |

