


Posicion	Cantidad	Referencia	Descripcion	PG
1	1	344099390	Capucha de goma	11
2	1	342022340	Anillo de muelle	11
3	1	343432920	Anillo	16
4	1	339007650	Arandela	11
5	1	342003890	Resorte de presion	11
6	1	143115330	Bola	11
7	1	316053060	Carcasa Engranaje cpl.	53
8	3	341704810	Tornillo	11
9	1	141153750	Arandela de apoyo	12
10	1	141180170	Arandela de seguridad	11
11	4	342070340	Resorte de disco	14
12	2	339004870	Disco de friccion	12
13	1	340002750	Rueda dent.recta	27
14	1	141181290	Anillo de muelle	11
15	1	316052960	Casquillo de taladrar cpl.	30
16	1	341161560	Anillo "o",11.9X2.62	11
17	1	341210610	Golpeador	17
18	1	341210600	Anillo	13
19	1	143194640	"Anillo ""o""	12
21	1	143193920	"Anillo ""o""	18
22	1	141181860	Anillo de muelle	11
23	1	316048010	Golpeador cpl.	23
24	1	344093140	Junta	16
25	1	341210790	Casquillo excitador cpl.	22
26	1	342022350	Arandela de seguridad	11
27	1	316053010	Brida de engranaje cpl.	30
28	1	344070670	Filtro	11
29	1	344095920	Tope de goma	11
30	9	141116020	Torn.alom.para chapa	12
31	3	143115300	Arandela	11
32	2	143115500	Cojinete de agujas	14
33	1	341161530	Eje de contramarcha cpl.	36
34	3	141154920	Muelle de plato	12
35	1	339007680	Arandela	11
36	1	343398340	Plomo	11
37	1	316052990	Boton de conexion cpl.	16
38	1	316045600	Dispositivo de conmutacion cpl.	16
39	1	344499140	Litze	11
40	1	344499150	Litze	11
41	1	315013480	Carcasa de motor	26
42	4	344092220	Poste	11
43	1	143115660	Rodamiento radial	13
44	1	310010660	Inducido cpl.,230V	31
45	1	143115890	Cojinete de bolas, 8X 22X 7	16
46	1	343398310	Disco centrifugo	11
47	1	311012030	Inductor cpl.	28
48	1	341511630	Tope de profund.	16
49	1	314000840	Mango completo	20
50	1	343409850	Electronic switch	26
51	1	343362490	Abrazadera de cable	12
52	1	343254560	Condensador	11
53	1	344099380	Boquilla de cable	11

<b>Posicion</b>	<b>Cantidad</b>	<b>Referencia</b>	<b>Descripcion</b>	<b>PG</b>
54	1	344489060	Cable enchufe m.europeo	26
55	1	343013250	Juego de escobillas	23
56	1	338059040	Placa de características	11
57	1	316057090	Juego de mantenimiento	43
90	1	341059290	Casquillo	16
880	1	344130800	Tubo de grasa	26
890	1	344130560	Tubo de grasa 50Gr 1,8oz	30
1001	1	338505760	Placa de características	



a# Circuit Block Diagram

