





Posicion	Cantidad	Referencia	Descripcion	PG
1	1	343412940	Tapa motor	16
2	1	343458350	Marco	11
5	1	141123420	Tornillo	11
6	1	343412960	Placa	12
10	1	339149820	Chapa de sujecion	11
11	1	343255370	Condensador	11
12	2	343458590	GRAPA DE CABLE	11
13	1	343413060	Interruptor	28
16	12	141124210	Tornillo alomado	11
17	1	344104420	Boquilla de cable	11
18	1	344533860	Cable enchufe m.europeo	22
22	1	311014300	Inductor cpl.,230V	
23	2	341724030	Tornillo	11
24	1	339153240	Chapa guia aire	11
25	2	343050440	Tarjeta Electrónico	11
26	1	343412990	Carcasa de motor	21
29	1	343013740	Escobillas	15
30	2	341724040	Tornillo	11
33	8	344104430	Casquillo de goma	11
36	1	344104440	Casquillo de goma	11
37	2	143116080	Cojinete de bolas, 8X 22X 7	16
38	1	339008500	Arandela	11
39	1	310014440	Inducido cpl.	
40	3	141120550	Tornillo	11
41	1	339149830	Tapa de cojinete	11
42	1	143111120	Rodamiento radial	25
43	1	315203440	Brida de engranaje	12
44	1	339146000	Soporte	20
45	4	341724060	Tornillo	11
46	1	339146010	Soporte	20
47	3	320051230	Rodamiento de bolas	15
48	4	344070760	Filtro	11
49	1	343458330	Chapa guia aire	11
50	1	340005000	Rueda dentada	16
51	1	341214000	Arbol motor	18
52	1	340009950	Rueda dentada	20
53	1	341520130	Pasador	11
54	1	315203460	Carcasa Engranaje	25
55	4	341724080	Tornillo	11
56	1	342024680	Arandela de seguridad	11
57	1	7100016995	RODAMIENTO RADIAL	22
58	2	342024690	Arandela de seguridad	11
61	1	341164510	Piedra	11
62	1	341606060	Husillo	20
63	1	341606210	Prolongacion	24
66	1	338078820	Placa de características	12
71	1	338135190	Etiqueta indicadora	12
76	1	316074970	Junta cpl.	11
77	1	344533900	Cable cpl.	19
78	1	343458630	Empunadura derecha	21
79	1	343458640	Empunadura izquierda	21
80	1	316074940	Pie	22

Posicion	Cantidad	Referencia	Descripcion	PG
81	1	316074920	Porta escobillas cpl.	18
82	1	344164780	Llave fija	14
83	1	344164790	Llave fija	14
880	1	344130940	Tubo grasa	11
1001	1	338506890	Placa de características	



AB.	COLOUR OF STANDS
BU	BLUE
RN	BROWN
GR	GREY

AB.	MEANING OF THE SYMBOLS
C	CAPACITANCE
S	SWITCH
T	TERMINALS