



| Posicion | Cantidad | Referencia | Descripcion | PG |
|----------|----------|------------|-------------------------------|----|
| 1 | 1 | 314000540 | Empunadura completo | 22 |
| 2 | 1 | 316040610 | Tope de husillo | 14 |
| 3 | 1 | 316049660 | Carcasa Engranaje cpl. | 29 |
| 4 | 1 | 341100940 | Tuerca | 12 |
| 5 | 1 | 316052030 | Piñon corona | 28 |
| 6 | 2 | 141110460 | Tornillo alomado | 11 |
| 7 | 1 | 143115420 | Rodamiento radial | 18 |
| 8 | 1 | 339135750 | Abdeckplatte | 11 |
| 9 | 1 | 343431690 | Disco del taquimetro | 13 |
| 10 | 1 | 143115870 | Rodamiento radial | 15 |
| 11 | 1 | 310010630 | Inducido cpl.,230V | 45 |
| 12 | 1 | 344095260 | Casquillo de goma | 12 |
| 13 | 1 | 343430250 | Chapa guia aire | 11 |
| 14 | 1 | 343431830 | Carcasa de motor | 22 |
| 15 | 3 | 141123940 | Torn.alom.para chapa | 11 |
| 16 | 1 | 344097550 | "Anillo ""o"" 48 x 1" | 11 |
| 17 | 1 | 341161150 | Eje M14 | 19 |
| 18 | 1 | 339203970 | Cubierta protectora cpl.,Ø125 | 27 |
| 19 | 1 | 315202680 | Brida cpl. | 30 |
| 20 | 4 | 141120070 | Tornillo de cabeza cilin. | 11 |
| 21 | 1 | 341106900 | Tuerca | 20 |
| 22 | 1 | 341031160 | Brida tensora | 22 |
| 23 | 1 | 343083250 | Unidad electronica,230V 50Hz | 32 |
| 24 | 1 | 344163920 | Llave de espiga | 14 |
| 25 | 1 | 343431930 | Empunadura izquierda | 21 |
| 26 | 2 | 339060160 | Arandela compensadora | 12 |
| 27 | 1 | 343431180 | Interruptor | 27 |
| 28 | 1 | 343362490 | Abrazadera de cable | 12 |
| 29 | 1 | 311011690 | Inductor c.bobina,230V | 34 |
| 30 | 1 | 338057520 | Placa de caracteristicas | 11 |
| 31 | 2 | 338122160 | Etiqueta Metabo,08 52x22 | 11 |
| 32 | 1 | 343013040 | Juego de escobillas,230V | 21 |
| 33 | 8 | 141116020 | Torn.alom.para chapa | 12 |
| 34 | 2 | 343012950 | Porta escobillas | 13 |
| 35 | 1 | 343254780 | Condensador | 13 |
| 36 | 1 | 344097360 | Proteccion del cable | 11 |
| 37 | 1 | 344498940 | Cable enchufe m.europeo | 23 |
| 38 | 1 | 343430260 | Brida | 20 |
| 880 | 1 | 344130910 | Tubo de grasa 100gr | 24 |
| 1001 | 1 | 338505720 | diagram | |

