



Positie	Aantal	Typenummer	Omschrijving	PG
1	1	635414000	3 zuigbuizen, Ø 35 mm, staal	
3	1	316077250	Abweiser vollst.	15
4	1	316076810	Opname cpl.	31
5	1	635409000	Aansluitmof Quick Ø 28 mm/Ø 35 mm	
6	1	635408000	Aansluitmof Quick Ø 40 mm/Ø 45 mm	
7	1	338136490	Aanduidingsplaatje OPP Vac DC M/H	12
11	1	338136500	Aanduidingsplaatje OPP Vac 30L H-Kla	12
14	1	316076820	Opname compl.	15
16	1	316076840	Printplaat compl.	23
22	1	343460310	Reservoir	39
23	1	635417000	Vloermondstuk Quick Ø 35 mm, breedte 360	
25	1	635415000	Bekledingsborstel Quick Ø 35 mm	
26	1	341167630	ontvanger	34
27	2	339013340	Pakking	14
28	1	339013350	Pakking	18
29	1	343090660	adapter cpl.	14
30	1	343090650	Kroonsteentje,DC M/H	45
35	1	635427000	Speciale filterzak stofklasse H, 30 l	
37	1	344199510	Filter	22
39	1	316076880	Deksel compl.	19
40	1	316076890	Sluiting cpl.	18
48	1	343460350	Grondplaat	32
52	2	344115200	Rubberen element	14
53	1	316076970	Rubberen element	20
54	1	635406000	Handgreep-tussenstuk Quick Premium	
57	1	316076980	Hendel compl.	16
58	2	343460360	Wiel	17
59	1	635418000	Vouwfilter stofklasse M,AUS	
60	1	316076990	Knie-hendel cpl.	18
73	1	316077140	Kabelboom DC cpl.	33
78	1	316077160	klep cpl.	19
79	1	316077170	Verbindingsstuk cpl.	15
80	2	316077180	Verbindingsstuk cpl.	15
81	1	316077190	Verbindingsstuk cpl.	17
82	1	316077230	Kop cpl.	31
88	1	338080630	Typeplaatje	12
111	1	316077340	Luftinlass (antist.) vollst.	18
113	1	317005480	Motor,DC 36V	35
116	1	343460380	Omlaaghouder cpl.	15
118	1	316077390	Knop cpl.	17
119	1	635402000	Zuigslang Quick, Ø 32 mm, L-4 m, antista	
121	1	343460390	Schakelaar AC /DC 2	20
122	1	343460400	Schakelaar AC /DC 3	20
123	1	344115210	Schuimstof	18
124	1	344115220	Schuimstof cpl.	16
125	1	344115230	Schuimstof	16
126	1	344115240	Slang	15
127	1	341724230	Schroef	13
128	1	316077400	ZAK V. SCHROEVEN cpl.	14
129	1	316077410	Drijver cpl.	18
154	2	343459780	Niet	15
155	1	344115250	Afsluitdop	16

<b>Positie</b>	<b>Aantal</b>	<b>Typenummer</b>	<b>Omschrijving</b>	<b>PG</b>
158	2	316077420	Wiel cpl.	18
159	1	316077430	Opname cpl.	20
160	1	343460440	Tussenplaat	30
161	1	630320000	Zuigmondstuk 120 mm	
162	1	630323000	Spleetzuigmondstuk 250 mm	
163	1	338132520	Aanduidingsplaatje	12
1001	1	338511060	Aansluitschema	

