



| Pozitie | Cantitate | Numar tip | Denumire | PG |
|---------|-----------|-----------|--------------------------------------|----|
| 1 | 1 | 341701940 | Cheese-head screw | 12 |
| 2 | 1 | 631281000 | Bit retaining bush | |
| 4 | 1 | 341602990 | Spindle | 33 |
| 5 | 1 | 141181560 | Retaining ring | 11 |
| 6 | 1 | 343362170 | Cover plate | 20 |
| 7 | 1 | 143111440 | Ball bearing, 12x28x8 | 27 |
| 8 | 1 | 141180060 | RETAINING RING | 11 |
| 9 | 1 | 314000550 | Handle | 18 |
| 10 | 1 | 141121470 | Hexagon head screw | 12 |
| 11 | 1 | 343359780 | Clamping piece | 17 |
| 12 | 1 | 631074000 | Side support handle, extra long type | |
| 13 | 3 | 341702180 | Tight-fit screw plast. 45 | 12 |
| 15 | 1 | 316024070 | Gear housing cpl. | 38 |
| 16 | 1 | 340011640 | Spur gear | 29 |
| 17 | 4 | 339001290 | Butting washer | 11 |
| 18 | 4 | 143111430 | Needle sleeve | 17 |
| 19 | 1 | 316022930 | Intermediate gear | 40 |
| 20 | 1 | 339210270 | Gasket | 14 |
| 21 | 1 | 316022940 | Gear flange cpl. | 33 |
| 22 | 1 | 340011630 | Pinion shaft | 31 |
| 23 | 1 | 340011620 | Spur gear | 29 |
| 24 | 1 | 343356500 | Sealing ring | 11 |
| 25 | 1 | 143114880 | Ball bearing, 8x22x7 | 14 |
| 26 | 1 | 330001060 | Fan cpl. | 16 |
| 27 | 1 | 310006220 | Armature cpl. 115 V | 43 |
| 28 | 1 | 143115660 | Ball bearing, 6x19x6 | 13 |
| 29 | 1 | 141153400 | Washer | 12 |
| 30 | 1 | 343361780 | Intermediate flange | 18 |
| 31 | 1 | 338027700 | Rating plate | 11 |
| 32 | 1 | 315012320 | Motor housing | 29 |
| 33 | 1 | 338108580 | Indication label | 15 |
| 35 | 1 | 316021020 | Pressure plate cpl. | 22 |
| 36 | 1 | 343072460 | Electronic unit 120 V | 36 |
| 37 | 1 | 341702050 | Screw | 11 |
| 38 | 1 | 343362350 | Pistol grip | 26 |
| 39 | 1 | 344490150 | Strand cpl. AWG18SW | 13 |
| 40 | 1 | 141181760 | Circlip | 11 |
| 41 | 1 | 339111020 | Cover | 11 |
| 42 | 1 | 342001210 | Pressure spring | 11 |
| 43 | 1 | 343362460 | Locking catch | 11 |
| 44 | 1 | 343361770 | Cover | 12 |
| 45 | 1 | 143192570 | O-ring | 12 |
| 46 | 1 | 143192430 | O-ring | 12 |
| 47 | 4 | 141118260 | Self-tap. fill. h. screw | 11 |
| 48 | 1 | 311008880 | Field coil 115 V | 36 |
| 49 | 1 | 338122370 | M-Label,56x25 | 12 |
| 50 | 1 | 342001140 | Index bolt | 12 |
| 51 | 1 | 316025760 | Setting ring cpl. | 24 |
| 52 | 1 | 316033740 | Brush with holder | 24 |
| 53 | 1 | 343362490 | Cable clip | 12 |
| 54 | 6 | 141120340 | Screw | 11 |
| 55 | 2 | 141116970 | Fillister head screw | 12 |

| Pozitie | Cantitate | Numar tip | Denumire | PG |
|---------|-----------|-----------|--------------------------|----|
| 56 | 1 | 344492750 | Cable with UL-CSA-plug | 23 |
| 57 | 1 | 344100590 | Cable sleeve | 13 |
| 59 | 1 | 399999990 | Part not needed | |
| 60 | 1 | 341052920 | Insulating disc | 15 |
| 61 | 2 | 141116840 | Self-tap. fill. h. screw | 11 |
| 62 | 1 | 343370240 | Extension | 12 |
| 63 | 1 | 342007800 | Pressure spring | 12 |
| 64 | 1 | 343364910 | Locking bushing | 12 |
| 65 | 1 | 338115880 | Warning label | 15 |
| 68 | 1 | 341702790 | Cap screw | 14 |
| 69 | 1 | 341700990 | Cap screw | 14 |
| 880 | 1 | 344130970 | Grease 50Gr 1,8oz | 22 |
| 1001 | 1 | 338500130 | Diagram | |

