



| Pozitie | Cantitate | Numar tip | Denumire | PG |
|---------|-----------|-----------|-----------------------------------|----|
| 1 | 1 | 316077710 | Workpiece support left cpl. | 19 |
| 2 | 1 | 316077730 | Workpiece support right cpl. | 25 |
| 3 | 1 | 316077750 | Eye protection left/right cpl. | 16 |
| 5 | 1 | 344350900 | Eye protection | 13 |
| 6 | 1 | 343413250 | Switch | 27 |
| 7 | 1 | 316077780 | Base compl. | 27 |
| 8 | 1 | 343255410 | Condenser 10mF | 19 |
| 10 | 1 | 344534230 | Cable compl. | 33 |
| 11 | 1 | 344115280 | Rubber foot | 11 |
| 12 | 1 | 316077820 | Wheel guard cpl.left | 33 |
| 13 | 1 | 316077860 | Wheel guard compl.right | 33 |
| 16 | 1 | 316077910 | Flange complete, left | 23 |
| 17 | 1 | 316077940 | Flange right compl. | 23 |
| 18 | 1 | 316077960 | SPARK PROTECTOR left compl. | 16 |
| 19 | 1 | 316077970 | SPARK PROTECTOR right compl. | 16 |
| 20 | 1 | 316077980 | LED transformer cpl. | 23 |
| 21 | 1 | 316077990 | LED cpl. | 24 |
| 22 | 2 | 316080230 | Dust port cpl. | 18 |
| 39 | 1 | 338080640 | Rating plate 04160000 DS 150 Plus | 12 |
| 1001 | 1 | 338511110 | Diagram | |

