



| Pozitie | Cantitate | Numar tip | Denumire                          | PG |
|---------|-----------|-----------|-----------------------------------|----|
| 1       | 1         | 316077710 | Workpiece support left cpl.       | 19 |
| 2       | 1         | 316077730 | Workpiece support right cpl.      | 25 |
| 3       | 1         | 316077750 | Eye protection left/right cpl.    | 16 |
| 5       | 1         | 344350900 | Eye protection                    | 13 |
| 6       | 1         | 343413250 | Switch                            | 27 |
| 7       | 1         | 316077780 | Base compl.                       | 27 |
| 8       | 1         | 343255410 | Condenser 10mF                    | 19 |
| 10      | 1         | 344534230 | Cable compl.                      | 33 |
| 11      | 1         | 344115280 | Rubber foot                       | 11 |
| 12      | 1         | 316077820 | Wheel guard cpl.left              | 33 |
| 13      | 1         | 316077860 | Wheel guard compl.right           | 33 |
| 16      | 1         | 316077910 | Flange complete, left             | 23 |
| 17      | 1         | 316077940 | Flange right compl.               | 23 |
| 18      | 1         | 316077960 | SPARK PROTECTOR left compl.       | 16 |
| 19      | 1         | 316077970 | SPARK PROTECTOR right compl.      | 16 |
| 20      | 1         | 316077980 | LED transformer cpl.              | 23 |
| 21      | 1         | 316077990 | LED cpl.                          | 24 |
| 22      | 2         | 316080230 | Dust port cpl.                    | 18 |
| 39      | 1         | 338080640 | Rating plate 04160000 DS 150 Plus | 12 |
| 1001    | 1         | 338511110 | Diagram                           |    |

